# GENERAL SERVICES ADMINISTRATION FEDERAL SUPPLY SERVICE AUTHORIZED FEDERAL SUPPLY SCHEDULE CATALOG/PRICE LIST

On-line access to contract ordering information, terms and conditions, up-to-date pricing, and the option to create an electronic delivery order is available through **GSA** *Advantage!*, a menu-driven database system. The INTERNET address for **GSA** *Advantage!* is <a href="http://www.gsaadvantage.gov">http://www.gsaadvantage.gov</a>.

**SCHEDULE TITLE**: Federal Supply Schedule 078 – Sports, Promotional, Outdoor,

Recreation, Trophies and Signs

FSC Group: 99 – Signs and Safety Zone Products

CONTRACT NUMBER: GS-07F-5946P

CONTRACT PERIOD: August 1, 2004 – July 31, 2009

For more information on ordering from Federal Supply Schedules click on the FSS Schedules button at www.fsa.gsa.gov.

**CONTRACTOR**: Solar Technology, Inc.

7620 Cetronia Road

Allentown, PA 18106-9293

Phone number: (610) 391-8600 Fax number: (610) 391-8601

E-Mail: <u>szerphy@solartechnology.com</u>
Website: <u>www.solartechnology.com</u>

**CONTRACTOR'S ADMINISTRATION SOURCE**: Sabrina Zerphy

7620 Cetronia Road Allentown, PA 18106 (610) 391-8600

FAX: (610) 391-8601

szerphy@solartechnology.com

**BUSINESS SIZE**: Small

## **CUSTOMER INFORMATION:**

1a. TABLE OF AWARDED SPECIAL ITEM NUMBERS (SINs):

SIN DESCRIPTION

366-11 Signs

# 1b. LOWEST PRICED MODEL NUMBER AND PRICE FOR EACH SIN:

(Government net price based on a unit of one)

<u>SIN</u>	<u>MODEL</u>	PRICE

366-11 962-125-120

Power Cable for Vehicle Mount Arrow Panel \$44.20

1c. HOURLY RATES: N/A

2. **MAXIMUM ORDER**: \$100,000 per SIN and \$100,000 per order

\*If the best value selection places your order over the Maximum Order identified in this catalog/pricelist, you have an opportunity to obtain a better schedule contract price. Before placing your order, contact the aforementioned contractor for a better price. The contractor may (1) offer a new price for this requirement (2) offer the lowest price available under this contract or (3) decline the order. A delivery order that exceeds the maximum order may be placed under the schedule contract in accordance with FAR 8.404.

- 3. MINIMUM ORDER: \$100
- 4. **GEOGRAPHIC COVERAGE**: Domestic, 50 states, Washington, DC, Puerto Rico, US Territories and to a CONUS port of consolidation point for orders received from overseas activities.
- 5. **POINT(S) OF PRODUCTION**: Allentown, PA (Lehigh County)
- 6. **DISCOUNT FROM LIST PRICES**: 31.67% from price list. Prices Shown Herein are Net (discount deducted).
- 7. **QUALITY DISCOUNT(S)**: None
- 8. **PROMPT PAYMENT TERMS**: Net 30
- 9a. Government Purchase Cards are accepted at or below the micropurchase threshold.
- 9b. Government Purchase Cards are accepted above the micro-purchase threshold.
- 10. **FOREIGN ITEMS**: None
- 11a. **TIME OF DELIVERY**: Ship 30 Days after receipt of order

- 11b. **EXPEDITED DELIVERY**: All items in on price list are available with expedited deliveries. Contact Contractor's Representative for volume limits that may apply.
- 11c. **OVERNIGHT AND 2-DAY DELIVERY**: Overnight and 2-day delivery are not available. Contact the Contractor for earliest ship date.
- 11d. **URGENT REQUIREMENTS**: Agencies can contact the Contractor's representative to possibly receive a faster delivery. Customers are encouraged to contact the contractor for the purpose of requesting accelerated delivery.
- 12. **FOB POINT**: Origin-Prepay and Add
- 13a. **ORDERING ADDRESS**: Same as contractor
- 13b. **ORDERING PROCEDURES**: For supplies and services, the ordering procedures, information on Blanket Purchase Agreements are found in Federal Acquisition Regulation (FAR) 8.405-3.
- 14. **PAYMENT ADDRESS**: Same as contractor
- 15. **WARRANTY PROVISION**: Standard Commercial Warranty. Customer should contact contractor for a copy of the warranty.
- 16. **EXPORT PACKING CHARGES**: Not applicable
- 17. TERMS AND CONDITIONS OF GOVERNMENT PURCHASE CARD ACCEPTANCE: Contact Contractor's Representative for details. (any thresholds above the micro-purchase level)
- 18. TERMS AND CONDITIONS OF RENTAL, MAINTENANCE, AND REPAIRS (IF APPLICABLE): N/A
- 19. TERMS AND CONDITIONS OF INSTALLATION (IF APPLICABLE): N/A
- 20. TERMS AND CONDITIONS OF REPAIR PARTS INDICATING DATE OF PARTS PRICE LISTS AND ANY DISCOUNTS FROM LIST PRICES (IF APPLICABLE): N/A
- 20a. TERMS AND CONDITIONS FOR ANY OTHER SERVICES (IF APPLICABLE): N/A
- 21. **LIST OF SERVICE AND DISTRIBUTION POINTS (IF APPLICABLE)**: N/A
- 22. LIST OF PARTICIPATING DEALERS (IF APPLICABLE): N/A

- 23. **PREVENTAIVE MAINTENANCE (IF APPLICABLE)**: N/A
- 24a. SPECIAL ATTRIBUTES SUCH AS ENVIRONMENTAL ATTRIBUTES (e.g. recycled content, energy efficiency, and/or reduced pollutants):

  A portion of our units are manufactured with recycled steel and aluminum. Contact Contractor's Representative for recycle percentages.
- 24b. **Section 508 Compliance for EIT**: N/A
- 25. **DUNS NUMBER**: 780-43-4189
- 26. NOTIFICATION REGARDING REGISTRATION IN CENTRAL CONTRACTOR REGISTRATION (CCR) DATABASE: Registration valid until November 20, 2004.

Prices in US Dollars

April 1, 2007

Prices and specifications subject to change without notice



# SILENT SENTINEL Advance Warning Arrow Panel Solar Powered - Trailer Mount

TYPE "C" 48" x 96" Panel

**GSA** 

# Price includes 2 Standard Batteries, and Choice of either 2" Ball or 2 1/2" Pintle Ring Coupler.

OPTIONS		
Model		
AB-0515 50 Watt / 15 Lamp Arrow Panel	3,659.07	
AB-0715 75 Watt / 15 Lamp Arrow Panel	4,089.55	
AB-0525 50 Watt / 25 Lamp Arrow Panel	4,096.38	
AB-0725 75 Watt / 25 Lamp Arrow Panel	4,588.36	
Coupler Option		
2" Ball Coupler	NC	
2 1/2" Pintle Ring Coupler	NC	
Combo Coupler (Ball & Pintle)	95.66	
Adj. Height Coupler 2" Ball	163.99	
Adj. Height Coupler 3" Pintle	163.99	
Adj. Height Coupler Ball & PR (2" Ball & 3" Pintle)	198.16	
Battery Option		
Upgrade to 4 Std. Batteries	170.83	
Upgrade to 2 GelCell Batteries	150.33	
Upgrade to 4 GelCell Batteries	457.81	
Battery Charger Option		
Battery Charger 30 AMP 12 Volt/DC 115 VAC 50/60 Hz	225.49	
Battery Charger 45 AMP 12 Volt/DC 115 VAC 50/60 Hz	300.65	
Battery Charger 30 AMP 230 VAC 12 Volt/DC 230 VAC 50 Hz IN	300.65	
Battery Charger 45 AMP 230 VAC 12 Volt/DC 230 VAC 50 Hz IN	375.82	
Trailer Lighting Option		
International Trailer Lighting	68.33	
Traffic Cone Carrier Option		
Traffic Cone Carrier	136.66	
MTO Flap Kit Option		
MTO Retro-Reflective Flap Kit	854.13	
Custom Color Option		
Custom Color	273.32	

SolarProtect Extended Warranty Plans (Standard Warranty 12 Months)			
EW-AB+2	SolarProtect Bronze+24 Months	187.50	
EW-AB+3	SolarProtect Silver+36 Months	243.75	
EW-AB+4	SolarProtect Gold+48 Months	300.00	

Standard Warranty - SILENT SENTINEL Arrow Panels Bumper to Bumper - one (1) year parts and labor. Control Console - two (2) years parts only. LED Lamps - ten (10) years parts only. Solar Panels - manufacturer's warranty - ten (10) years.

Prices in US Dollars

April 1, 2007

Prices and specifications subject to change without notice.



MB-1548
Dynamic Message Sign

Full Matrix with Graphics - Solar Powered - Portable

Full Size 126" x 76" Display

GSA

Price includes 23 Degree Standard LED Display, Alphanumeric Control Console with Backlit Waterproof Keyboard and LCD Display, 4 Standard Batteries, 30 AMP Charger, and Choice of 2" Ball or 3" Pintle Coupler.

		OPTIONS	
Model			
MB-1548 (150W)		14,690.95	
MB-1548 (225W)		15,442.58	
MB-1548 (300W)		16,467.53	
Coupler Option			
2" Ball Coupler		NC	
3" Pintle Coupler		NC	
Both Couplers (Ball & Pintle) 68.33			
Battery Option			
Upgrade to 4 GelCell Batteries		300.65	
Upgrade to 8 Std. Batteries		649.14	
Upgrade to 8 GelCell Batteries		1,223.11	
Battery Charger Option			
Battery Charger 30 AMP	12 Volts/DC 115 VAC 50/60 Hz	NC	
Battery Charger 45 AMP	12 Volts/DC 115 VAC 50/60 Hz	102.50	
Battery Charger 45 AMP 230 VAC	12 Volt/DC 230 VAC 50 Hz INT'L	153.74	
Upgrade Battery Charger 75 AMP	12 Volt/DC 115 VAC 50/60 Hz	187.91	
Trailer Lighting Option			
International Trailer Lighting		68.33	
Remote Control Option			
Wireless RC, CDMA		871.21	
Wireless RC, GSM, USA		871.21	
Wireless RC, CDMA, W/GPS		1,093.28	
Wireless RC, GSM, USA, W/GPS		1,093.28	
Radar Option			
Radar - KPH		1,264.11	
Radar - MPH		1,264.11	
Custom Color Option			
Custom Color		409.98	

MB-9130 NTCIP Translator Option 1,434.93

Includes NTCIP Compatible Full Color Graphic Touch Screen Control Console with activation code for NTCIP compatibility and unlimited support and software updates for the life of the machine.

SolarProtect Extended Warranty Plans (Standard Warranty 12 Months)				
EW-MB+2	SolarProtect Bronze+24 Months	750.00		
EW-MB+3	SolarProtect Silver+36 Months	937.50		
EW-MB+4	SolarProtect Gold+48 Months	1,125.00		

Standard Warranty - SILENT MERSSENGER SOL-R-SIGNs

Bumper to Bumper - one (1) year parts and labor.

Control Console, including computer - two (2) years parts only.

Display Modules - 3 years standard display.

Solar Panels - manufacturer's warranty - ten (10) years.

Prices in US Dollars

April 1, 2007

Prices and specifications subject to change without notice.



MB2-1548 **Dynamic Message Sign** Full Matrix with Graphics - Solar Powered - Portable

**Mid Size** 92" x 54" Display

GSA

Price includes 23 Degree Standard LED Display, Alphanumeric Control Console with Backlit Waterproof Keyboard and LCD Display, 4 Standard Batteries, 30 AMP Charger, and Choice of 2" Ball or 2 1/2" Pintle Coupler.

		OPTIONS	
Model			
MB2-1548 (150W)		13,666.00	
MB2-1548 (225W)		14,417.63	
MB2-1548 (300W)		15,169.26	
Coupler Option			
2" Ball Coupler		NC	
2 1/2" Pintle Ring Coupler		NC	
Combo Coupler (Ball & Pintle)		95.66	
Adj. Height Coupler 2" Ball		163.99	
Adj. Height Coupler 3" Pintle		163.99	
Adj. Height Coupler Ball & PR		198.16	
Battery Option			
Upgrade to 4 GelCell Batteries		300.65	
Upgrade to 8 Std Batteries		649.14	
Upgrade to 8 GelCell Batteries		1,223.11	
Battery Charger Option			
Battery Charger 30 AMP	12 Volts/DC 115 VAC 50/60 Hz	NC	
Upgrade Battery Charger 45 AMP	12 Volts/DC 115 VAC 50/60 Hz	102.50	
Battery Charger 45 AMP 230 VAC	12 Volt/DC 230 VAC 50 Hz INT'L	153.74	
Trailer Lighting Option			
International Trailer Lighting		68.33	
Remote Control Option			
Wireless RC, CDMA		871.21	
Wireless RC, GSM, USA		871.21	
Wireless RC, CDMA, W/GPS		1,093.28	
Wireless RC, GSM, USA, W/GPS		1,093.28	
Radar Option			
Radar - KPH		1,264.11	_
Radar - MPH		1,264.11	
Custom Color Option			
Custom Color		273.32	

MB-9130	NTCIP Translator Option	1,434.93
---------	-------------------------	----------


Includes NTCIP Compatible Full Color Graphic Touch Screen Control Console with activation code for NTCIP compatibility and unlimited support and software updates for the life of the machine.

SolarProtect Extended Warranty Plans (Standard Warranty 12 Months)				
EW-MB2+2 SolarProtect Bronze+24 Months 562.50				
EW-MB2+3	SolarProtect Silver+36 Months	750.00		
EW-MB2+4	SolarProtect Gold+48 Months	937.50		

Standard Warranty - SILENT MERSSENGER SOL-R-SIGNs Bumper to Bumper - one (1) year parts and labor. Control Console, including computer - two (2) years parts only.

Display Modules - 3 years standard display.

Solar Panels - manufacturer's warranty - ten (10) years.





MB3-1548
Dynamic Message Sign
Full Matrix with Graphics - Solar Powered - Portable

Small Size 70" x 42" Display

GSA

Price includes 23 Degree Standard LED Display, Alphanumeric Control Console with Backlit Waterproof Keyboard and LCD Display, 2 Standard Batteries, 30 AMP Charger, and Choice of 2" Ball or 2 1/2" Pintle Coupler.

		OPTIONS	
Model			
MB3-1548 (150W)		10,932.80	
MB3-1548 (225W)		11,684.43	
MB3-1548 (300W)		12,436.06	
Coupler Option			
2" Ball Coupler		NC	
2 1/2" Pintle Ring Coupler		NC	
Combo Coupler (Ball & Pintle)		95.66	
Adj. Height Coupler 2" Ball		163.99	
Adj. Height Coupler 3" Pintle		163.99	
Adj. Height Coupler Ball & PR		198.16	
Battery Option			
Upgrade to 4 Std Batteries		150.33	
Upgrade to 4 GelCell Batteries		437.31	
Upgrade to 8 Std Batteries		799.46	
Upgrade to 8 GelCell Batteries		1,359.77	
Battery Charger Option			
Battery Charger 30 AMP	12 Volts/DC 115 VAC 50/60 Hz	NC	
Upgrade Battery Charger 45 AMP	12 Volts/DC 115 VAC 50/60 Hz	102.50	
Battery Charger 45 AMP 230 VAC	12 Volt/DC 230 VAC 50 Hz INT'L	153.74	
Trailer Lighting Option			
International Trailer Lighting		68.33	
Remote Control Option			
Wireless RC, CDMA		871.21	
Wireless RC, GSM, USA		871.21	
Wireless RC, CDMA, W/GPS		1,093.28	
Wireless RC, GSM, USA, W/GPS		1,093.28	
Radar Option			
Radar - KPH		1,264.11	
Radar - MPH		1,264.11	
Custom Color Option			
Custom Color		273.32	

MB-9130 NTCIP Translator Option 1,434.93

Includes NTCIP Compatible Full Color Graphic Touch Screen Control Console with activation code for NTCIP compatibility and unlimited support and software updates for the life of the machine.

SolarProtect Extended Warranty Plans (Standard Warranty 12 Months)				
EW-MB3+2	SolarProtect Bronze+24 Months	375.00		
EW-MB3+3	SolarProtect Silver+36 Months	562.50		
EW-MB3+4	SolarProtect Gold+48 Months	750.00		

Standard Warranty - SILENT MERSSENGER SOL-R-SIGNs

Bumper to Bumper - one (1) year parts and labor.

Control Console, including computer - two (2) years parts only.

Display Modules - 3 years standard display.

Solar Panels - manufacturer's warranty - ten (10) years.

# SOLAR TECHNOLOGY, INC.

Prices in US Dollars

April 1, 2007

Prices and specifications subject to change without notice.



#### SILENT MESSENGER

NTCIP Based Networkable Dynamic Message Sign Full Matrix with Graphics - Solar Powered - Portable

Full Size 126" x 76" Display

GSA

Price includes 60 Degree MegaFlux Wide Angle LED Display,
NTCIP Compatible\*\* Full Color Graphic Touch Screen Control Console, 8 Standard Batteries, 45 AMP Charger,
Electric-Hydraulic Lift System, Hydraulic Surge Brakes, and Choice of 2" Ball or 3" Pintle Coupler.

Model         MB-2248 225 Watt       18,688.25         MB-3048 300 Watt       20,464.83         MB-3748 375 Watt       21,626.44         MB-4048 450 Watt       22,788.05         Coupler Option         2° Ball Coupler       NC         3° Pintle Coupler (Ball & Pintle)       68.33         Battery Option         Upgrade to 8 GelCell Batteries       601.30         Upgrade to 12 Std. Batteries       649.14         Upgrade to 12 Std. Batteries       649.14         Upgrade to 12 GelCell Batteries       1,523.76         Battery Charger Option         Battery Charger 45 AMP       12 Volt/DC 115 VAC 50/60 Hz       NC         Battery Charger 45 AMP 230 VAC       12 Volt/DC 230 VAC 50 Hz INT       153.74         Upgrade Battery Charger 75 AMP       12 Volt/DC 115 VAC 50/60 Hz       187.91         Trailer Lighting Option         Wireless RC, CDMA       871.21         Wireless RC, GSM       871.21	_		
MB-3048 300 Watt       20,464.83         MB-3748 375 Watt       21,626.44         MB-4048 450 Watt       22,788.05         Coupler Option         2" Ball Coupler       NC         3" Pintle Coupler       NC         Both Couplers (Ball & Pintle)       68.33         Battery Option         Upgrade to 8 GelCell Batteries       601.30         Upgrade to 12 Std. Batteries       649.14         Upgrade to 12 GelCell Batteries       1,523.76         Battery Charger Option         Battery Charger 45 AMP       12 Voll/DC 115 VAC 50/60 Hz       NC         Battery Charger 45 AMP 230 VAC       12 Voll/DC 230 VAC 50 Hz INT       153.74         Upgrade Battery Charger 75 AMP       12 Voll/DC 115 VAC 50/60 Hz       187.91         Trailer Lighting Option         International Trailer Lighting       68.33         Remote Control Option         Wireless RC, CDMA       871.21	_		
MB-3748 375 Watt         21,626.44           MB-4048 450 Watt         22,788.05           Coupter Option           2" Ball Coupler         NC           3" Pintle Coupler         NC           Both Couplers (Ball & Pintle)         68.33           Battery Option           Upgrade to 8 GelCell Batteries         601.30           Upgrade to 12 Std. Batteries         649.14           Upgrade to 12 GelCell Batteries         1,523.76           Battery Charger Option           Battery Charger 45 AMP         12 Volt/DC 215 VAC 50/60 Hz         NC           Battery Charger 45 AMP 230 VAC         12 Volt/DC 230 VAC 50 Hz INT         153.74           Upgrade Battery Charger 75 AMP         12 Volt/DC 115 VAC 50/60 Hz         187.91           Trailer Lighting Option           International Trailer Lighting         68.33           Remote Control Option           Wireless RC, CDMA         871.21	_		
MB-4048 450 Watt         22,788.05           Coupler Option           2" Ball Coupler         NC           3" Pintle Coupler         NC           Both Couplers (Ball & Pintle)         68.33           Battery Option           Upgrade to 8 GelCell Batteries         601.30           Upgrade to 12 Std. Batteries         649.14           Upgrade to 12 GelCell Batteries         1,523.76           Battery Charger Option           Battery Charger 45 AMP         12 Volt/DC 115 VAC 50/60 Hz         NC           Battery Charger 45 AMP 230 VAC         12 Volt/DC 230 VAC 50 Hz INT         153.74           Upgrade Battery Charger 75 AMP         12 Volt/DC 115 VAC 50/60 Hz         187.91           Trailer Lighting Option           International Trailer Lighting         68.33           Remote Control Option           Wireless RC, CDMA         871.21	=		
Coupler Option           2° Ball Coupler         NC           3° Pintle Coupler         NC           Both Couplers (Ball & Pintle)         68.33           Battery Option           Upgrade to 8 GelCell Batteries         601.30           Upgrade to 12 Std. Batteries         649.14           Upgrade to 12 GelCell Batteries         1,523.76           Battery Charger Option           Battery Charger 45 AMP         12 Volt/DC 115 VAC 50/60 Hz         NC           Battery Charger 45 AMP 230 VAC         12 Volt/DC 230 VAC 50 Hz INT         153.74           Upgrade Battery Charger 75 AMP         12 Volt/DC 115 VAC 50/60 Hz         187.91           Trailer Lighting Option           International Trailer Lighting         68.33           Remote Control Option           Wireless RC, CDMA         871.21	=		
2" Ball Coupler       NC         3" Pintle Coupler       NC         Both Couplers (Ball & Pintle)       68.33         Battery Option         Upgrade to 8 GelCell Batteries       601.30         Upgrade to 12 Std. Batteries       649.14         Upgrade to 12 GelCell Batteries       1,523.76         Battery Charger Option         Battery Charger 45 AMP       12 Volt/DC 115 VAC 50/60 Hz       NC         Battery Charger 45 AMP 230 VAC       12 Volt/DC 230 VAC 50 Hz INT       153.74         Upgrade Battery Charger 75 AMP       12 Volt/DC 115 VAC 50/60 Hz       187.91         Trailer Lighting Option         International Trailer Lighting       68.33         Remote Control Option         Wireless RC, CDMA       871.21	Ξ		
3" Pintle Coupler       RC         Both Couplers (Ball & Pintle)       68.33         Battery Option         Upgrade to 8 GelCell Batteries       601.30         Upgrade to 12 Std. Batteries       649.14         Upgrade to 12 GelCell Batteries       1,523.76         Battery Charger Option         Battery Charger 45 AMP       12 Volt/DC 115 VAC 50/60 Hz       NC         Battery Charger 45 AMP 230 VAC       12 Volt/DC 230 VAC 50 Hz INT       153.74         Upgrade Battery Charger 75 AMP       12 Volt/DC 115 VAC 50/60 Hz       187.91         Trailer Lighting Option         International Trailer Lighting       68.33         Remote Control Option         Wireless RC, CDMA       871.21			
Both Couplers (Ball & Pintle)         68.33           Battery Option           Upgrade to 8 GelCell Batteries         601.30           Upgrade to 12 Std. Batteries         649.14           Upgrade to 12 GelCell Batteries         1,523.76           Battery Charger Option           Battery Charger 45 AMP         12 Volt/DC 115 VAC 50/60 Hz         NC           Battery Charger 45 AMP 230 VAC         12 Volt/DC 230 VAC 50 Hz INT         153.74           Upgrade Battery Charger 75 AMP         12 Volt/DC 115 VAC 50/60 Hz         187.91           Trailer Lighting Option           International Trailer Lighting         68.33           Remote Control Option           Wireless RC, CDMA         871.21			
Description			
Upgrade to 8 GelCell Batteries       601.30         Upgrade to 12 Std. Batteries       649.14         Upgrade to 12 GelCell Batteries       1,523.76         Battery Charger Option         Battery Charger 45 AMP       12 Volt/DC 115 VAC 50/60 Hz       NC         Battery Charger 45 AMP 230 VAC       12 Volt/DC 230 VAC 50 Hz INT       153.74         Upgrade Battery Charger 75 AMP       12 Volt/DC 115 VAC 50/60 Hz       187.91         Trailer Lighting Option         International Trailer Lighting       68.33         Remote Control Option         Wireless RC, CDMA       871.21			
Upgrade to 12 Std. Batteries         649.14           Upgrade to 12 GelCell Batteries         1,523.76           Battery Charger Option           Battery Charger 45 AMP         12 Volt/DC 115 VAC 50/60 Hz         NC           Battery Charger 45 AMP 230 VAC         12 Volt/DC 230 VAC 50 Hz INT         153.74           Upgrade Battery Charger 75 AMP         12 Volt/DC 115 VAC 50/60 Hz         187.91           Trailer Lighting Option           International Trailer Lighting         68.33           Remote Control Option           Wireless RC, CDMA         871.21			
Upgrade to12 GelCell Batteries         1,523.76           Battery Charger Option           Battery Charger 45 AMP         12 Volt/DC 115 VAC 50/60 Hz         NC           Battery Charger 45 AMP 230 VAC         12 Volt/DC 230 VAC 50 Hz INT         153.74           Upgrade Battery Charger 75 AMP         12 Volt/DC 115 VAC 50/60 Hz         187.91           Trailer Lighting Option           International Trailer Lighting         68.33           Remote Control Option           Wireless RC, CDMA         871.21			
Battery Charger Option           Battery Charger 45 AMP         12 Volt/DC 115 VAC 50/60 Hz         NC           Battery Charger 45 AMP 230 VAC         12 Volt/DC 230 VAC 50 Hz INT         153.74           Upgrade Battery Charger 75 AMP         12 Volt/DC 115 VAC 50/60 Hz         187.91           Trailer Lighting Option           International Trailer Lighting         68.33           Remote Control Option           Wireless RC, CDMA         871.21			
Battery Charger 45 AMP   12 Volt/DC 115 VAC 50/60 Hz   NC			
## Battery Charger 45 AMP 230 VAC 12 Volt/DC 230 VAC 50 Hz INT 153.74  Upgrade Battery Charger 75 AMP 12 Volt/DC 115 VAC 50/60 Hz 187.91    Trailer Lighting Option			
Upgrade Battery Charger 75 AMP 12 Volt/DC 115 VAC 50/60 Hz 187.91  Trailer Lighting Option International Trailer Lighting 68.33  Remote Control Option  Wireless RC, CDMA 871.21			
Trailer Lighting Option International Trailer Lighting  Remote Control Option  Wireless RC, CDMA  871.21			
International Trailer Lighting 68.33  Remote Control Option  Wireless RC, CDMA 871.21			
Remote Control Option  Wireless RC, CDMA  871.21			
Wireless RC, CDMA 871.21			
Wireless RC, GSM 871.21			
Wireless RC, CDMA, W/GPS 1,093.28			
Wireless RC, GSM, W/GPS 1,093.28			
Radar Option			
Radar - KPH 1,264.11			
Radar - MPH 1,264.11			
Custom Color Option			
Custom Color 409.98			
SolarProtect Extended Warranty Plans (Standard Warranty 12 Months)			

SolarProtect Extended Warranty Plans (Standard Warranty 12 Months)				
EW-MB+2 SolarProtect Bronze+24 Months 750.00				
EW-MB+3	SolarProtect Silver+36 Months	937.50		
EW-MB+4	SolarProtect Gold+48 Months	1,125.00		

	Silent Messenger Software Subscription Plans	
SS-SM-BASIC	Basic Software Subscription* (annual renewal)	112.50
SS-SM-NTCIP	NTCIP Software Subscription** (one-time fee)	562.50

<sup>\*</sup> Basic Software Subscrption-provides one year of technical support and software updates (annual renewal required).

Standard Warranty - SILENT MERSSENGER SOL-R-SIGNs Bumper to Bumper - one (1) year parts and labor. Control Console, including computer - two (2) years parts only. Display Modules - 5 years Mega-Flux display.

Solar Panels - manufacturer's warranty - ten (10) years.

<sup>\*\*</sup>NTCIP Software Subscription-includes activation code for NTCIP compatibility and unlimited support and software updates for the life of the machine.

Prices in US Dollars

April 1, 2007

Prices and specifications subject to change without notice.



# SILENT MESSENGER II NTCIP Based Networkable Dynamic Message Sign Full Matrix with Graphics - Solar Powered - Portable

92" x 54" Display

Mid-Size

GSA

Price includes 60 Degree MegaFlux Wide Angle LED Display,
NTCIP Compatible\*\* Full Color Graphic Touch Screen Control Console, 8 Standard Batteries, 45 AMP Charger,
and Choice of 2" Ball or 2 1/2" Pintle Coupler.

MB2-2248 225 Watt		OPTIONS		
MB2-3048 300 Watt         16,973.17           Coupler Option           2" Ball Coupler         NC           2.1/2" Pintle Ring Coupler         NC           Combo Coupler (Ball & Pintle)         95.66           Adj. Height Coupler 3" Pintle         163.99           Adj. Height Coupler 3 Pintle         198.16           Eatlery Option           Upgrade to 8 GelCell Batteries           Eatlery Charger Option           Battery Charger 45 AMP 20 VAC 212 Voll/DC 115 VAC 50/60 Hz         NC           Battery Charger 45 AMP 230 VAC 12 Voll/DC 230 VAC 50 Hz INTL         153.74           Upgrade Battery Charger 75 AMP 12 Voll/DC 115 VAC 50/60 Hz         153.74           Upgrade Battery Charger 75 AMP 230 VAC 12 Voll/DC 230 VAC 50/60 Hz         871.21           Uralier Lighting Option           Wireless RC, CDMA         871.21           Wireless RC, CDMA, WiGPS         1,093.28           Wireless RC, GSM, WiGPS         1,093.28           Wireless RC, GSM, WiGPS         1,264.11           Radar - KPH         1,264.11           Custom Color Option         1,264.11				
Coupler Option           2" Ball Coupler         NC           2 1/2" Pintle Ring Coupler         NC           Combo Coupler (Ball & Pintle)         95.66           Adj. Height Coupler 2" Ball         163.99           Adj. Height Coupler 3" Pintle         163.99           Adj. Height Coupler Ball & PR (2" Ball & 3" Pintle)         198.16           Battery Option           Upgrade to 8 GelCell Batteries           Battery Charger 45 AMP         12 Volt/DC 115 VAC 50/60 Hz           NC           Battery Charger 45 AMP 230 VAC         12 Volt/DC 230 VAC 50 Hz INT'L         153.74           Upgrade Battery Charger 75 AMP 12 Volt/DC 115 VAC 50/60 Hz         187.91           Trailer Lighting Option           International Trailer Lighting         68.33           Remote Control Option           Wireless RC, CDMA         871.21           Wireless RC, CDMA, WGPS         1,093.28			· · · · · · · · · · · · · · · · · · ·	
2" Ball Coupler 2 Intel Ring Coupler Call & Pintle Ring Coupler (Ball & Pintle) Sc.66  Adj. Height Coupler 2" Ball 163.99  Adj. Height Coupler 3" Pintle 163.99  Adj. Height Coupler Ball & PR (2" Ball & 3" Pintle) 198.16  Battery Option 1998.16  Battery Option 1998.16  Battery Charger 45 AMP 12 Volt/DC 115 VAC 50/60 Hz NC Battery Charger 45 AMP 12 Volt/DC 230 VAC 50 Hz INT'L 153.74  Upgrade Battery Charger 75 AMP 12 Volt/DC 115 VAC 50/60 Hz 187.91  Trailer Lighting Option 1798.16  Remote Control Option 1798.16  Wireless RC, CDMA 871.21  Wireless RC, CDMA 871.21  Wireless RC, GSM 871.21  Wireless RC, GSM, W/GPS 1,093.28  Wireless RC, GSM, W/GPS 1,093.28  Wireless RC, GSM, W/GPS 1,264.11  Radar - KPH 1,264.11  Radar - KPH 1,264.11  Custom Color Option	MB2-3048 300 Watt		16,973.17	
2 1/2" Pintle Ring Coupler Combo Coupler (Ball & Pintle) Combo Coupler (Ball & Pintle) Adj. Height Coupler 2" Ball Adj. Height Coupler 3" Pintle 163.99 Adj. Height Coupler Ball & PR (2" Ball & 3" Pintle) 198.16  Battery Option Upgrade to 8 GelCell Batteries Battery Charger 45 AMP Battery Charger 45 AMP 12 Volt/DC 115 VAC 50/60 Hz Battery Charger 45 AMP 230 VAC 12 Volt/DC 230 VAC 50 Hz INTL Upgrade Battery Charger 75 AMP 12 Volt/DC 115 VAC 50/60 Hz  Trailer Lighting Option International Trailer Lighting 68.33  Remote Control Option  Wireless RC, CDMA Wireless RC, CSM Wireless RC, CSM, W/GPS 1,093.28  Wireless RC, CSM, W/GPS 1,093.28  Radar - KPH Radar - MPH 1,264.11 Radar - MPH  Custom Color Option				
Combo Coupler (Ball & Pintle)         95.66           Adj. Height Coupler 2" Ball         163.99           Adj. Height Coupler 3" Pintle         163.99           Adj. Height Coupler 3" Pintle         198.16           Battery Option           Upgrade to 8 GelCell Batteries         601.30           Battery Charger Option           Battery Charger 45 AMP         12 Voll/DC 115 VAC 50/60 Hz         NC           Battery Charger 45 AMP 230 VAC         12 Voll/DC 230 VAC 50 Hz INT'L         153.74           Upgrade Battery Charger 75 AMP         12 Voll/DC 115 VAC 50/60 Hz         187.91           Trailer Lighting Option           International Trailer Lighting 68.33           Remote Control Option           Wireless RC, CDMA         871.21           Wireless RC, GSM         871.21           Wireless RC, GSM, W/GPS         1,093.28           Wireless RC, GSM, W/GPS         1,093.28           Radar Option         1,264.11           Radar - KPH         1,264.11           Radar - KPH         1,264.11           Lustom Color Option         1,264.11	•			
Adj. Height Coupler 2" Ball       163.99         Adj. Height Coupler 3" Pintle       163.99         Adj. Height Coupler Ball & PR (2" Ball & 3" Pintle)       198.16         Battery Option         Upgrade to 8 GelCell Batteries       601.30         Battery Charger Option         Battery Charger 45 AMP       12 Volv/DC 115 VAC 50/60 Hz         Battery Charger 45 AMP 203 VAC       12 Volv/DC 230 VAC 50 Hz INT'L       153.74         Upgrade Battery Charger 75 AMP       12 Volv/DC 115 VAC 50/60 Hz       187.91         Trailer Lighting Option         International Trailer Lighting       68.33         Remote Control Option         Wireless RC, CDMA       871.21         Wireless RC, CDMA, WiGPS       1,093.28         Wireless RC, GSM, WiGPS       1,093.28         Radar Option       1,264.11         Radar - MPH       1,264.11         Custom Color Option       1,264.11				
Adi. Height Coupler 3" Pintle       163.99         Adi. Height Coupler Ball & PR (2" Ball & 3" Pintle)       198.16         Battery Option         Upgrade to 8 GelCell Batteries       601.30         Battery Charger 45 AMP       12 Volt/DC 115 VAC 50/60 Hz       NC         Battery Charger 45 AMP 230 VAC       12 Volt/DC 230 VAC 50 Hz INTL       153.74         Upgrade Battery Charger 75 AMP 12 Volt/DC 115 VAC 50/60 Hz       187.91         Trailer Lighting Option         International Trailer Lighting       68.33         Remote Control Option         Wireless RC, CDMA       871.21         Wireless RC, GSM       871.21         Wireless RC, GSM, W/GPS       1,093.28         Wireless RC, GSM, W/GPS       1,093.28         Radar Option         Radar Option         Cardar Option         Custom Color Option				
Adi. Height Coupler Ball & PR (2" Ball & 3" Pintle) 198.16    Battery Option   Upgrade to 8 GelCell Batteries 601.30     Battery Charger Option   Victor Charger 45 AMP 12 Volt/DC 115 VAC 50/60 Hz NC				
Description   Seattery Option   Seattery Charger Option   Seattery Charger Option   Seattery Charger 45 AMP   12 Volt/DC 115 VAC 50/60 Hz   NC   Seattery Charger 45 AMP   12 Volt/DC 230 VAC 50 Hz INT'L   153.74   Upgrade Battery Charger 75 AMP   12 Volt/DC 115 VAC 50/60 Hz   187.91   187.				
Upgrade to 8 GelCell Batteries         601.30           Battery Charger Option           Battery Charger 45 AMP         12 Volt/DC 115 VAC 50/60 Hz         NC           Battery Charger 45 AMP 230 VAC         12 Volt/DC 230 VAC 50 Hz INT'L         153.74           Upgrade Battery Charger 75 AMP         12 Volt/DC 115 VAC 50/60 Hz         187.91           Trailer Lighting Option           International Trailer Lighting         68.33           Remote Control Option           Wireless RC, CDMA         871.21           Wireless RC, GSM         871.21           Wireless RC, CDMA, W/GPS         1,093.28           Wireless RC, GSM, W/GPS         1,093.28           Radar Option         1,264.11           Radar - KPH         1,264.11           Radar - MPH         1,264.11           Custom Color Option         1,264.11		& 3" Pintle)	198.16	
Battery Charger Option           Battery Charger 45 AMP         12 Volt/DC 115 VAC 50/60 Hz         NC           Battery Charger 45 AMP 230 VAC         12 Volt/DC 230 VAC 50 Hz INT'L         153.74           Upgrade Battery Charger 75 AMP         12 Volt/DC 115 VAC 50/60 Hz         187.91           Trailer Lighting Option           International Trailer Lighting         68.33           Remote Control Option           Wireless RC, CDMA         871.21           Wireless RC, GSM         871.21           Wireless RC, CDMA, W/GPS         1,093.28           Wireless RC, GSM, W/GPS         1,093.28           Radar Option         1,264.11           Radar - KPH         1,264.11           Radar - MPH         1,264.11           Custom Color Option				
Battery Charger 45 AMP       12 Volt/DC 115 VAC 50/60 Hz       NC         Battery Charger 45 AMP 230 VAC       12 Volt/DC 230 VAC 50 Hz INTL       153.74         Upgrade Battery Charger 75 AMP       12 Volt/DC 115 VAC 50/60 Hz       187.91         Trailer Lighting Option         International Trailer Lighting       68.33         Remote Control Option         Wireless RC, CDMA       871.21         Wireless RC, GSM       871.21         Wireless RC, CDMA, W/GPS       1,093.28         Wireless RC, GSM, W/GPS       1,093.28         Radar Option       1,264.11         Radar - KPH       1,264.11         Radar - MPH       1,264.11         Custom Color Option			601.30	
Battery Charger 45 AMP 230 VAC         12 Volt/DC 230 VAC 50 Hz INT'L         153.74           Upgrade Battery Charger 75 AMP         12 Volt/DC 115 VAC 50/60 Hz         187.91           Trailer Lighting Option           International Trailer Lighting         68.33           Remote Control Option           Wireless RC, CDMA         871.21           Wireless RC, GSM         871.21           Wireless RC, CDMA, W/GPS         1,093.28           Wireless RC, GSM, W/GPS         1,093.28           Radar Option           Radar - KPH         1,264.11           Radar - MPH         1,264.11           Custom Color Option	,			
Upgrade Battery Charger 75 AMP         12 Volt/DC 115 VAC 50/60 Hz         187.91           Trailer Lighting Option           International Trailer Lighting         68.33           Remote Control Option           Wireless RC, CDMA         871.21           Wireless RC, GSM         871.21           Wireless RC, CDMA, W/GPS         1,093.28           Wireless RC, GSM, W/GPS         1,093.28           Radar Option         1,264.11           Radar - MPH         1,264.11           Custom Color Option         1,264.11				
Trailer Lighting Option           International Trailer Lighting         68.33           Remote Control Option         871.21           Wireless RC, CDMA         871.21           Wireless RC, GSM         871.21           Wireless RC, CDMA, W/GPS         1,093.28           Wireless RC, GSM, W/GPS         1,093.28           Radar Option         1,264.11           Radar - MPH         1,264.11           Custom Color Option         1,264.11	, ,			
International Trailer Lighting         68.33           Remote Control Option           Wireless RC, CDMA           Wireless RC, GSM         871.21           Wireless RC, CDMA, W/GPS         1,093.28           Wireless RC, GSM, W/GPS         1,093.28           Radar Option           Radar - MPH         1,264.11           Custom Color Option         1,264.11	Upgrade Battery Charger 75 AMP	12 Volt/DC 115 VAC 50/60 Hz	187.91	
Remote Control Option           Wireless RC, CDMA         871.21           Wireless RC, GSM         871.21           Wireless RC, CDMA, W/GPS         1,093.28           Wireless RC, GSM, W/GPS         1,093.28           Radar Option         1,264.11           Radar - MPH         1,264.11           Custom Color Option         1	Trailer Lighting Option			
Wireless RC, CDMA       871.21         Wireless RC, GSM       871.21         Wireless RC, CDMA, W/GPS       1,093.28         Wireless RC, GSM, W/GPS       1,093.28         Radar Option       1,264.11         Radar - MPH       1,264.11         Custom Color Option       1,264.11	International Trailer Lighting		68.33	
Wireless RC, GSM       871.21         Wireless RC, CDMA, W/GPS       1,093.28         Wireless RC, GSM, W/GPS       1,093.28         Radar Option       1,264.11         Radar - MPH       1,264.11         Custom Color Option       1,264.11	Remote Control Option			
Wireless RC, CDMA, W/GPS       1,093.28         Wireless RC, GSM, W/GPS       1,093.28         Radar Option         Radar - KPH       1,264.11         Radar - MPH       1,264.11         Custom Color Option       1,264.11	Wireless RC, CDMA		871.21	
Wireless RC, GSM, W/GPS       1,093.28         Radar Option       1,264.11         Radar - MPH       1,264.11         Custom Color Option       1,264.11	Wireless RC, GSM		871.21	
Radar Option         Radar - KPH       1,264.11         Radar - MPH       1,264.11         Custom Color Option       1,264.11	Wireless RC, CDMA, W/GPS		1,093.28	
Radar - KPH         1,264.11           Radar - MPH         1,264.11           Custom Color Option         1,264.11	Wireless RC, GSM, W/GPS		1,093.28	
Radar - MPH 1,264.11 Custom Color Option				
Custom Color Option			,	
			1,264.11	
Custom Color 273.32				
	Custom Color		273.32	

SolarProtect Extended Warranty Plans (Standard Warranty 12 Months)		
EW-MB2+2	SolarProtect Bronze+24 Months	562.50
EW-MB2+3	SolarProtect Silver+36 Months	750.00
EW-MB2+4	SolarProtect Gold+48 Months	937.50

	Silent Messenger Software Subscription Plans	s
SS-SM-BASIC	Basic Software Subscription* (annual renewal)	112.50
SS-SM-NTCIP	NTCIP Software Subscription** (one-time fee)	562.50
* Basic Softwar	e Subscrption-provides one year of technical support and software updates (annual renewal requ	uired).
**NTCIP Software Subscription-includes activation code for NTCIP compatibility and unlimited support and software updates for the life of the machine.		

Standard Warranty - SILENT MERSSENGER SOL-R-SIGNs

Bumper to Bumper - one (1) year parts and labor.

Control Console, including computer - two (2) years parts only.

Display Modules - 5 years Mega-Flux display.

Solar Panels - manufacturer's warranty - ten (10) years.

Prices and specifications subject to change without notice.



#### SILENT MESSENGER III

NTCIP Based Networkable Dynamic Message Sign Full Matrix with Graphics - Solar Powered - Portable

**Small Size** 70" x 42" Display

GSA

Price includes 60 Degree MegaFlux Wide Angle LED Display, NTCIP Compatible\*\* Full Color Graphic Touch Screen Control Console, 4 Standard Batteries, 45 AMP Charger, and Choice of 2" Ball or 2 1/2" Pintle Coupler.

OPTIONS		
Model		
MB3-2248 225 Watt	13,512.26	
MB3-3048 300 Watt	14,304.89	
Coupler Option		
2" Ball Coupler	NC	
2 1/2" Pintle Ring Coupler	NC	
Combo Coupler (Ball & Pintle)	95.66	
Adj. Height Coupler 2" Ball	163.99	
Adj. Height Coupler 3" Pintle	163.99	
Adj. Height Coupler Ball & PR	198.16	
Battery Option		
Upgrade to 4 GelCell Batteries	300.65	
Upgrade to 8 Std Batteries	649.14	
Upgrade to 8 GelCell Batteries	1,223.11	
Battery Charger Option		
Battery Charger 45 AMP 12 Volt/DC 115 VAC 50/60 Hz	NC	
Battery Charger 45 AMP 230 VAC 12 Volt/DC 230 VAC 50 Hz INT'L	153.74	
Trailer Lighting Option		
International Trailer Lighting	68.33	
Remote Control Option		
Wireless RC, CDMA	871.21	
Wireless RC, GSM	871.21	
Wireless RC, CDMA, W/GPS	1,093.28	
Wireless RC, GSM, W/GPS	1,093.28	
Radar Option		
Radar - KPH	1,264.11	
Radar - MPH	1,264.11	
Custom Color Option		
Custom Color	273.32	

	SolarProtect Extended Warranty Plans (Standard Warranty 12 Months)		
EW-MB3+2	SolarProtect Bronze+24 Months	375.00	
EW-MB3+3	SolarProtect Silver+36 Months	562.50	
EW-MB3+4	SolarProtect Gold+48 Months	750.00	

	Silent Messenger Software Subscription Plans	
SS-SM-BASIC	Basic Software Subscription* (annual renewal)	112.50
SS-SM-NTCIP	NTCIP Software Subscription** (one-time fee)	562.50
* Basic Software	Subscrption-provides one year of technical support and software updates (annual renewal required).	

\*\*NTCIP Software Subscription-includes activation code for NTCIP compatibility and unlimited support and software updates for the life of the machine.

Standard Warranty - SILENT MERSSENGER SOL-R-SIGNs Bumper to Bumper - one (1) year parts and labor.

Solar Panels - manufacturer's warranty - ten (10) years.

Control Console, including computer - two (2) years parts only. Display Modules - 5 years Mega-Flux display.

Prices in US Dollars

April 1, 2007

Prices and specifications subject to change without notice.



### SILENT ADVISOR

**Radar Speed Trailer Solar Powered - Portable** 

GSA

RST-1000 Low Speed Application 7,687.13 RST-2000 High Speed Application 8,712.08

> Price includes 23 Degree Standard LED Display, Alphanumeric Control Console with Backlit Waterproof Keyboard and LCD Display, 2 Standard Batteries, 30 AMP Charger, and Choice of 2" Ball or 2 1/2" Pintle Coupler.

OPTIONS		
LED Display Options		
Amber MegaFlux WA Display	136.66	
Red MegaFlux WA Display	136.66	
Coupler Options		
2" Ball Coupler	NC	
2 1/2" Pintle Ring Coupler	NC	
Combo Coupler (Ball & Pintle)	95.66	
Adj. Height Coupler 2" Ball	163.99	
Adj. Height Coupler 3" Pintle	163.99	
Adj. Height Coupler 2" Ball & Pintle	198.16	
Battery & Solar Array Options		
Upgrade to 4 Std Batteries	150.33	
Upgrade to 2 GelCell Batteries	150.33	
Upgrade to 75 Watt Solar Array	409.98	
Upgrade to 4 GelCell Batteries	437.31	
Upgrade to 4 Std Batteries and 75 Watt Solar Array	560.31	
Upgrade to 2 GelCell Batteries and 75 Watt Solar Array	560.31	
Upgrade to 4 GelCell Batteries and 75 Watt Solar Array	847.29	
Battery Charger Options Battery Charger 45 AMP 12 Volt/DC 115 VAC 50/60 Hz	100.50	
, , , , , , , , , , , , , , , , , , , ,	102.50	
Remote Control Options	871.21	
Wireless RC, GSM, USA	871.21 871.21	
Wireless RC, CDMA	871.21	
Radar Options	No	
Radar - KPH	NC	
Trailer Lighting Options	20.00	
International Trailer Lighting	68.33	
Custom Color Options		
Custom Color	273.32	
MB-9025 RADAR SPEED DATA LOGGING OPT.	683.30	

SolarProtect Extended Warranty Plans (Standard Warranty 12 Months)		
EW-MB3+2	SolarProtect Bronze+24 Months	375.00
EW-MB3+3	SolarProtect Silver+36 Months	562.50
EW-MB3+4	SolarProtect Gold+48 Months	750.00

Standard Warranty - SILENT ADVISOR RADAR SPEED TRAILER

Bumper to Bumper - one (1) year parts and labor.

Control Console, including computer - two (2) years parts only.

Display Modules - 3 years standard display/5 years Mega-Flux display.

Solar Panels - manufacturer's warranty - ten (10) years.

# SOLAR TECHNOLOGY, INC.

Prices in US Dollars April 1, 2007

Prices and specifications subject to change without notice.



#### SILENT MESSENGER II - IRT

Mid-Size 92" x 54" Display

NTCIP Based Networkable Dynamic Message Sign **Incident Response Trailer** Full Matrix with Graphics - Solar Powered - Portable

GSA

SILENT MESSENGER II-SS IRT IRT-112-1548

16,901.43

Price includes 23 Degree Standard LED Display, NTCIP Compatible\*\* Full Color Graphic Touch Screen Control Console, 150 Watt Solar Array, 4 Standard Batteries, 30 Amp Charger, Hydraulic Surge Brakes, Ten (10) 38" Retro-Reflective Traffic Barrels, Twenty-Five (25) 28" Retro-Reflective Traffic Cones, and Choice of 2" Ball or 3" Pintle Coupler.

OPTIONS	
Solar Array Upgrade Option	
Solar Array Upgrade - 225W	751.63
Solar Array Upgrade - 300W	1,503.26
Coupler Option	
2" Ball Coupler	NC
3" Pintle Coupler	NC
Both Couplers (Ball & Pintle)	68.33
Display Option	000.00
Amber MegaFlux WA Display	683.30 683.30
Red MegaFlux WA Display	663.30
Battery & Charger Options	
Battery Charger 30 AMP 12 Volts/DC 115 VAC 50/60 Hz	NC
Upgrade Battery Charger 45 AMP 12 Volts/DC 115 VAC 50/60 Hz	102.50
Battery Charger 45 AMP 230 VAC 12 Volt/DC 230 VAC 50 Hz INT'L	153.74
Upgrade Battery Charger 75 AMP 12 Volt/DC 115 VAC 50/60 Hz	187.91
Upgrade to 4 GelCell Batteries with Battery Charger 30 AMP	300.65
Upgrade to 4 GelCell Batteries with Battery Charger 45 AMP	403.15
Upgrade to 4 GelCell Batteries with Battery Charger 45A 230V	454.39 488.56
Upgrade to 4 GelCell Batteries with Battery Charger 75 AMP	488.56
Trailer Lighting Option	
International Trailer Lighting	68.33
Remote Control Option	
Wireless RC, CDMA	871.21
Wireless RC, GSM, USA	871.21
Wireless RC, CDMA, W/GPS	1,093.28
Wireless RC, GSM, USA, W/GPS	1,093.28
Radar Option	
Radar - KPH	1,264.11
Radar - MPH	1,264.11
Custom Color Option	
Custom Color	409.98
SolarProtect Extended Warranty Plans (Standard Warranty 12 N	lonths)
EW-MB2+2 SolarProtect Bronze+24 Months	562.50
EW-MB2+3 SolarProtect Silver+36 Months	750.00
EW-MB2+4 SolarProtect Gold+48 Months	937.50
Silent Messenger Software Subscription Plans	
SS-SM-BASIC Basic Software Subscription* (annual renewal)	112.50
SS-SM-NTCIP NTCIP Software Subscription** (one-time fee)	562.50
Tribil Collinate Capacilphici (one time 100)	
* Basic Software Subscrption-provides one year of technical support and software updates (annual renewal required).	
**NTCIP Software Subscription-includes activation code for NTCIP compatibility and unlimited support and software of	updates for the life of the machine.

Standard Warranty - SILENT MERSSENGER SOL-R-SIGNs

Bumper to Bumper - one (1) year parts and labor.

Solar Panels - manufacturer's warranty - ten (10) years.

Control Console, including computer - two (2) years parts only. Display Modules - 3 years standard display/5 years Mega-Flux display.

# SOLAR TECHNOLOGY, INC.

Prices and specifications subject to change without notice.



GSA

#### **VEHICLE MOUNT**

# NTCIP Based Networkable Dynamic Message Sign **Full Matrix with Graphics**

SILENT MESSENGER III 70" x 42" Display

MT3-MP	1,315.35
MT3-SKMP	1,527.18
MT3-UMK	1,127.45
REQUIRED OPTIONS	
Display Type	
Amber Standard Display	2,746.87
Amber MegaFlux WA Display	3,645.41
Red MegaFlux WA Display	3,645.41
Installation Kits	
In Cab Mount w/o Batt Pack 20'	1,926.91
In Cab Mount w/o Batt Pack 30'	1,954.24
In Cab Mount w/o Batt Pack 40'	1,988.40
In Cab Mount w/o Batt Pack 50'	2,015.74
In Battery Box Mount	2,685.37
In Cab Mount with Batt Pk 20'	2,815.20
In Cab Mount with Batt Pk 30'	2,863.03
In Cab Mount with Batt Pk 40'	2,876.69
In Cab Mount with Batt Pk 50'	2,907.44
Custom In Cab Mount w/out Batt Pk. 23' van roof w/ pwr lift	3,477.58
ift Options Not Available on Universal Mounting Frame	
Manual Winch Kit (Skid Mount Base Only)	201.57
Power Lift Kit 20' Cable	789.21
Power Lift Kit 30' Cable	813.13
Power Lift Kit 40' Cable	837.04
Power Lift Kit 50' Cable	860.96
ADDITIONAL OPTIONS	
Battery Options	
Upgrade to 4 GelCell Batteries	409.98
Battery Charger Options	
Battery Charger 30 AMP 12 Volt/DC 115 VAC 50/60 Hz	204.99
Battery Charger 30 AMP 230 VAC 12 Volt/DC 230 VAC 50 Hz INT'L	273.32
Solar Power Options Solar Power Kit 100 W (requires battery box)	1,011.28
Radar Option	.,
Radar - KPH	1,240.19
Radar - MPH	1,240.19
SolarProtect Extended Warranty Plans (Standard Warranty 12 Months)	
EW-VMMB3+2 SolarProtect Bronze+24 Months	262.50
EW-VMMB3+3 SolarProtect Silver+36 Months	
	356.25
EW-VMMB3+4 SolarProtect Gold+48 Months	450.00
Silent Messenger Software Subscription Plans	
SS-SM-BASIC Basic Software Subscription* (annual renewal)	112.50
SS-SM-NTCIP NTCIP Software Subscription** (one-time fee)	562.50
* Basic Software Subscrption-provides one year of technical support and software updates (annual renewal required).	
**NTCIP Software Subscription-includes activation code for NTCIP compatibility and unlimited support and software updates for the	life of the machine

Standard Warranty - SILENT MESSENGER SOL-R-SIGNs

Bumper to Bumper - one (1) year parts and labor.

Control Console, including computer - two (2) years parts only.

Display Modules - 3 years standard display/5 years Mega-Flux display.

Solar Panels - manufactrer's warranty - ten (10) years.

# SOLAR TECHNOLOGY, INC.

VEHICLE MOUNT	SILENT MESSENGER I
NTCIP Based Networkable Dynamic Message Sign	92" x 54" Display
Full Matrix with Graphics	
	GSA
T2-MP Over the Cab Pivoting Mount Base	1,633.09
C2-SKMP Pivoting Mount with Skid Mount Base	1,848.33
C2-UMK Universal Mounting Frame	1,448.60
REQUIRED OPTIONS	
splay Type	F 220 74
nber Standard Display	5,329.74 6,204.36
nber MegaFlux WA Display ad MegaFlux WA Display	6,204.36
stallation Kits	0,204.30
Cab Mount w/o Batt Pack 20'	1,926.91
Cab Mount w/o Batt Pack 30'	1,954.24
Cab Mount w/o Batt Pack 40'	1,988.40
Cab Mount w/o Batt Pack 50'	2,015.74
Battery Box Mount	2,685.37
Cab Mount with Batt Pk 20'	2,815.20
Cab Mount with Batt Pk 30'	2,863.03
Cab Mount with Batt Pk 40'	2,876.69
Cab Mount with Batt Pk 50'	2,907.44
t Options Not Available on Universal Mounting Frame	004.57
anual Winch Kit (Skid Mount Base Only)	201.57
wer Lift Kit 20' Cable wer Lift Kit 30' Cable	789.21 813.13
wer Lift Kit 40' Cable	837.04
wer Lift Kit 50' Cable	860.96
ADDITIONAL OPTIONS	500.30
ttery Options grade to 4 GelCell Batteries	409.98
ttery Charger Options	
ttery Charger 30 AMP 12 Volt/DC 115 VAC 50/60 Hz	204.99
ttery Charger 30 AMP 230 VAC 12 Volt/DC 230 VAC 50 Hz INT'L	273.32
lar Power Options	
lar Power Kit 100 W (requires battery box)	1,011.28
dar Option	
idar - KPH	1,240.19
idar - MPH	1,240.19
SolarProtect Extended Warranty Plans (Standard Warranty 12 Mont	hs)
N-VMMB2+2 SolarProtect Bronze+24 Months	337.50
N-VMMB2+3 SolarProtect Silver+36 Months	487.50
N-VMMB2+4 SolarProtect Gold+48 Months	637.50

Standard Warranty - SILENT MESSENGER SOL-R-SIGNs
Bumper to Bumper - one (1) year parts and labor.

Basic Software Subscription\* (annual renewal)

NTCIP Software Subscription\*\* (one-time fee)

\* Basic Software Subscrption-provides one year of technical support and software updates (annual renewal required).

\*\*NTCIP Software Subscription-includes activation code for NTCIP compatibility and unlimited support and software updates for the life of the machine.

Control Console, including computer - two (2) years parts only.

Display Modules - 3 years standard display/5 years Mega-Flux display.

Solar Panels - manufactrer's warranty - ten (10) years.

SS-SM-BASIC

SS-SM-NTCIP

# SOLAR TECHNOLOGY, INC.

112.50

562.50

Prices in US Dollars

April 1, 2007

Prices and specifications subject to change without notice.



SILENT SENTINEL	Type B
Vehicle Mount Arrow Panels	Panel Size (30"x 60")

GSA

MOUNTING OPTION	IS
ATB-MP	286.99
ATB-SKMP	498.81
ATB-UMK	27.33
REQUIRED OPTION	IS Control of the con
Display Type	
Type B (30"x60") 15 Lamp	956.62
Type B (30"x60") 25 Lamp	1,346.10
Installation Kits	
In Cab Mount w/o Batt Pack 16'	392.90
In Cab Mount w/o Batt Pack 30'	413.40
In Cab Mount w/o Batt Pack 50'	461.23
In Battery Box Mount	761.88
In Cab Mount with Batt Pk 16'	782.38
In Cab Mount with Batt Pk 30'	819.96
In Cab Mount with Batt Pk 50'	884.87
Lift Options Not Available on Universal Mounting Frame	
Manual Winch Kit (Skid Mount Base Only)	201.57
Power Lift Kit 16' Cable	789.21
Power Lift Kit 30' Cable	809.71
Power Lift Kit 50' Cable	860.96
ADDITIONAL OPTIO	NS
Battery Options	
Upgrade to 4 Std. Batteries	136.66
Upgrade to 2 GelCell Batteries	204.99
Upgrade to 4 GelCell Batteries	409.98
Battery Charger Options	
Battery Charger 30 AMP 12 Volt/DC 115 VAC 50/60 Hz	204.99
Battery Charger 30 AMP 230 VAC 12 Volt/DC 230 VAC 50 Hz INT	273.32
Solar Power Options	
Solar Pwr Kit 50W, In Cab 16' Cable	433.90
0   B   10   50   M   B   M	

SolarProtect Extended Warranty Plans (Standard Warranty 12 Months)		
EW-VMAB+2	SolarProtect Bronze+24 Months	131.25
EW-VMAB+3	SolarProtect Silver+36 Months	168.75
EW-VMAB+4	SolarProtect Gold+48 Months	206.25

Standard Warranty - SILENT SENTINEL Arrow Panels Bumper to Bumper - one (1) year parts and labor. LED Lamps - ten (10) years parts only. Controller - two (2) years parts only. Solar Panels - manufacturer's warranty - ten (10) years.

Solar Pwr Kit 50W, In Battery Box Mount

Solar Pwr Kit 50W, In Cab 30' Cable

Solar Pwr Kit 50W, In Cab 50' Cable

SOLAR TECHNOLOGY, INC.

437.31

450.98

468.06

Prices in US Dollars

April 1, 2007

Prices and specifications subject to change without notice.



SILENT SENTINEL	Type C
Vehicle Mount Arrow Panels	Panel Size (48"x96")

GSA

MOUNTING OPTIONS		
ATC-MP	Over the Cab Pivoting Mount Base	286.99
ATC-SKMP	Pivoting Mount with Skid Mount Bass	498.81
ATC-UMK	Universal Mounting Frame	30.75

	REQUIRED OPTIONS	
Display Type		
Type C (48"x96") 15 Lamp		1,250.44
Type C (48"x96") 25 Lamp		1,667.25
Installation Kits		
In Cab Mount w/o Batt Pack 16'		392.90
In Cab Mount w/o Batt Pack 30'		413.40
In Cab Mount w/o Batt Pack 50'		461.23
In Battery Box Mount		761.88
In Cab Mount with Batt Pk 16'		782.38
In Cab Mount with Batt Pk 30'		819.96
In Cab Mount with Batt Pk 50'		884.87
Lift Options	Not Available on Universal Mounting Frame	
Manual Winch Kit (Skid Mount Base 0	Only)	201.57
Power Lift Kit 16' Cable		789.21
Power Lift Kit 30' Cable		809.71
Power Lift Kit 50' Cable		860.96
	ADDITIONAL OPTIONS	
Battery Options		
Upgrade to 4 Std. Batteries		136.66
Upgrade to 2 GelCell Batteries		204.99
Upgrade to 4 GelCell Batteries		409.98
Battery Charger Options	10 1/ 1//20 1/5 1/40 50/00 1/	
Battery Charger 30 AMP	12 Volt/DC 115 VAC 50/60 Hz 12 Volt/DC 230 VAC 50 Hz INT'L	204.99
Battery Charger 30 AMP 230 VAC	12 VUIVDG 230 VAG 30 MZ IIVT L	273.32
Solar Power Options Solar Pwr Kit 50W, In Cab 16' Cable		433.90
Solar Pwr Kit 50W, In Cab To Cable  Solar Pwr Kit 50W, In Battery Box Mou	nt .	433.90 437.31
Solar Pwr Kit 50W, In Cab 30' Cable	TIL TO THE TOTAL THE TOTAL TO T	457.51 450.98
Solar Pwr Kit 50W, In Cab 30 Cable Solar Pwr Kit 50W, In Cab 50' Cable		450.98 468.06
Solai Pwi Kii Sovv, In Cab So Cable		468.06
	Solar Protect Extended Warranty Blane (Standard War	

SolarProtect Extended Warranty Plans (Standard Warranty 12 Months)		
EW-VMAB+2	SolarProtect Bronze+24 Months	131.25
EW-VMAB+3	SolarProtect Silver+36 Months	168.75
EW-VMAB+4	SolarProtect Gold+48 Months	206.25

Standard Warranty - SILENT SENTINEL Arrow Panels Bumper to Bumper - one (1) year parts and labor. LED Lamps - ten (10) years parts only. Controller - two (2) years parts only. Solar Panels - manufacturer's warranty - ten (10) years.

Prices in US Dollars

April 1, 2007

Prices and specifications subject to change without notice.



92" x 54" Dual Display

## SILENT MESSENGER DS - MB-222-3048 NTCIP Based Networkable Double Sided (DS) Dynamic Message Sign

Full Matrix with Graphics - Solar Powered - Portable

Small Size Trailer Low Profile

**GSA** 

Price includes 23 Degree Standard LED Display, NTCIP Compatible\*\* Full Color Graphic Touch Screen Control Console, 300 Watt Solar Array, 8 Standard Batteries, 45 AMP Charger, and Choice of 2" Ball or 2 1/2" Pintle Coupler.

		OPTIONS	
Model			
Standard Display		20,495.58	
MegaFlux Wide Angle Display		21,862.18	
Coupler Option			
2" Ball Coupler		NC	
2 1/2" Pintle Ring Coupler		NC	
Combo Coupler (Ball & Pintle)		95.66	
Adj. Height Coupler 2" Ball		163.99	
Adj. Height Coupler 3" Pintle		163.99	
Adj. Height Coupler Ball & PR (2" Ba	I & 3" Pintle)	198.16	
Battery Option			
Upgrade to 8 GelCell Batteries		601.30	
Battery Charger Option			
Battery Charger 45 AMP	12 Volt/DC 115 VAC 50/60 Hz	NC	
Battery Charger 45 AMP 230 VAC	12 Volt/DC 230 VAC 50 Hz INT'L	153.74	
Upgrade Battery Charger 75 AMP	12 Volt/DC 115 VAC 50/60 Hz	187.91	
Trailer Lighting Option			
International Trailer Lighting		68.33	
Remote Control Option			
Wireless RC, CDMA		871.21	
Wireless RC, GSM		871.21	
Wireless RC, CDMA, W/GPS		1,093.28	
Wireless RC, GSM, W/GPS		1,093.28	
Custom Color Option			
Custom Color		409.98	

## Multiple Radar Configurations and Options available. Contact factory for pricing and assistance.

SolarProtect Extended Warranty Plans (Standard Warranty 12 Months)		
EW-MB2-DS+2	SolarProtect Bronze+24 Months	600.00
EW-MB2-DS+3	SolarProtect Silver+36 Months	843.75
EW-MB2-DS+4	SolarProtect Gold+48 Months	1,020.00

Silent Messenger Software Subscription Plans		
SS-SM-BASIC	Basic Software Subscription* (annual renewal)	112.50
SS-SM-NTCIP	NTCIP Software Subscription** (one-time fee)	562.50
* Basic Software Subscrption-provides one year of technical support and software updates (annual renewal required).  **NTCIP Software Subscription-includes activation code for NTCIP compatibility and unlimited support and software updates for the life of the machine.		

Standard Warranty - SILENT MESSENGER SOL-R-SIGNs Bumper to Bumper - one (1) year parts and labor.

Control Console, including computer - two (2) years parts only.

Display Modules - 3 years standard display/5 years Mega-Flux display.

Solar Panels - manufacturer's warranty - ten (10) years.

Prices in US Dollars

April 1, 2007

Prices and specifications subject to change without notice.



92" x 54" Dual Display

#### SILENT MESSENGER DS - MB-122-3048 NTCIP Based Networkable Double Sided (DS) Dynamic Message Sign

Full Matrix with Graphics - Solar Powered - Portable

Lift and Rotate **Full Size Trailer** 

**Net Price** 

Price includes 23 Degree Standard LED Display, NTCIP Compatible\*\* Full Color Graphic Touch Screen Control Console, 300 Watt Solar Array, 12 Standard Batteries, 45 AMP Charger, Electric-Hydraulic Lift System, Hydraulic Surge Brakes, and Choice of 2" Ball or 3" Pintle Coupler.

OPTIONS		
Model		
Standard Display	24,458.72	
MegaFlux Wide Angle Display	25,825.32	
Coupler Option		
2" Ball Coupler	NC	
3" Pintle Ring Coupler	NC	
Both Couplers (Ball & Pintle)	68.33	
Battery Option		
Upgrade to12 GelCell Batteries	901.96	
Battery Charger Option		
Battery Charger 45 AMP	NC	
Battery Charger 45 AMP 230 VAC	153.74	
Upgrade Battery Charger 75 AMP	187.91	
Trailer Lighting Option		
International Trailer Lighting	68.33	
Remote Control Option		
Wireless RC, CDMA	871.21	
Wireless RC, GSM	871.21	
Wireless RC, CDMA, W/GPS	1,093.28	
Wireless RC, GSM, W/GPS	1,093.28	
Custom Color Option		
Custom Color	409.98	

### Multiple Radar options available. Contact factory for pricing and assistance.

SolarProtect Extended Warranty Plans (Standard Warranty 12 Months)		
EW-MB2-DS+2	SolarProtect Bronze+24 Months	600.00
EW-MB2-DS+3	SolarProtect Silver+36 Months	843.75
EW-MB2-DS+4	SolarProtect Gold+48 Months	1,020.00

Silent Messenger Software Subscription Plans		
SS-SM-BASIC	Basic Software Subscription* (annual renewal)	112.50
SS-SM-NTCIP	NTCIP Software Subscription** (one-time fee)	562.50
* Basic Software Subscrption-provides one year of technical support and software updates (annual renewal required).  **NTCIP Software Subscription-includes activation code for NTCIP compatibility and unlimited support and software updates for the life of the machine.		

Standard Warranty - SILENT MESSENGER SOL-R-SIGNs Bumper to Bumper - one (1) year parts and labor.

Control Console, including computer - two (2) years parts only.

Display Modules - 3 years standard display/5 years Mega-Flux display.

Solar Panels - manufacturer's warranty - ten (10) years.

7620 Cetronia Road Allentown PA 18106 USA Phone: 610-391-8600 Fax: 610-391-8601 Internet: www.solartechnology.com